

Page: 1/14

Printing date: 06/23/2016 Revision: 06/23/2016

1 Identification

· Product identifier

· Trade name: CS Smoke Grenade

Product code: MP-15-CS

· Recommended use and restriction on use

· Recommended use: Explosive product.

· Restrictions on use: Contact manufacturer

Details of the supplier of the Safety Data Sheet

· Manufacturer/Supplier:

NonLethal Technologies, Inc.

9419 Rt 286 Hwy W

Homer City, PA 15748

USA

+1 724-479-5100

nlt@nonlethaltechnologies.com

· Emergency telephone number: 1-800-255-3924 (Intl.: +1 813-248-0585) (CHEMTEL # MIS9685256)

2 Hazard(s) identification

Classification of the substance or mixture

Expl. 1.4 H204 Fire or projection hazard.

Acute Tox. 3 H301 Toxic if swallowed.

Acute Tox. 3 H311 Toxic in contact with skin.

Acute Tox. 2 H330 Fatal if inhaled.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

- Label elements
- GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:









GHS01 GHS06 GHS07 GHS08

Signal word: Danger

· Hazard statements:

H204 Fire or projection hazard.

H301+H311 Toxic if swallowed or in contact with skin.

H330 Fatal if inhaled.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

(Cont'd. on page 2)



Page: 2/14

Printing date: 06/23/2016 Revision: 06/23/2016

Trade name: CS Smoke Grenade

(Cont'd. of page 1)

| H317 | May cause an allergic skin reaction. |
|------|--------------------------------------|
| H335 | May cause respiratory irritation. |

· Precautionary statements:

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P250 Do not subject to grinding/shock/friction.

P260 Do not breathe dust.

P284 In case of inadequate ventilation wear respiratory protection.

P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing must not be allowed out of the workplace.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P373 DO NOT fight fire when fire reaches explosives.

P370+P380 In case of fire: Evacuate area.

P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

P372 Explosion risk in case of fire.

P312 Call a POISON CENTER/doctor if you feel unwell.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P330 Rinse mouth.

P361+P364 Take off immediately all contaminated clothing and wash it before reuse. Store in accordance with local/regional/national/international regulations.

P405 Store locked up.

P403 Store in a well-ventilated place.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

Other hazards There are no other hazards not otherwise classified that have been identified.

Explosive Product Notice

PREVENTION OF ACCIDENTS IN THE USE OF EXPLOSIVES - The prevention of accidents in the use of explosives is a result of careful planning and observance of the best known practices. The explosives user must remember that he is dealing with a powerful force and that various devices and methods have been developed to assist him in directing this force. He should realize that this force, if misdirected, may either kill or injure both him and his fellow workers.

WARNING - All explosives are dangerous and must be carefully handled and used following approved safety procedures either by or under the direction of competent, experienced persons in accordance with all applicable federal, state, and local laws, regulations, or ordinances. If you have any questions or doubts as to how to use any explosive product, DO NOT USE IT before consulting with your supervisor, or the manufacturer, if you do not have a supervisor. If your supervisor has any questions or doubts, he should consult the manufacturer before use.



Page: 3/14

Printing date: 06/23/2016 Revision: 06/23/2016

Trade name: CS Smoke Grenade

(Cont'd. of page 2)

3 Composition/information on ingredients

· Chemical characterization: Mixtures

| • | onaractorization. Wixtures | |
|---|--|--------|
| · Compone | nts: | |
| 2698-41-1 | [(2-chlorophenyl)methylene]malononitrile | 25-40% |
| | Acute Tox. 3, H301; Acute Tox. 2, H330 Resp. Sens. 1, H334 Acute Tox. 4, H312; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317; STOT SE 3, H335 | |
| 3811-04-9 | potassium chlorate | 25-40% |
| | Ox. Sol. 1, H271 Acute Tox. 4, H302; Acute Tox. 4, H332 | |
| 546-93-0 | Magnesium carbonate | 10-20% |
| 57-50-1 | sucrose, pure | 10-20% |
| 7757-79-1 | potassium nitrate Ox. Sol. 2, H272 | <5% |
| 9004-70-0 | Nitrocellulose, colloided, granular | <5% |
| | Expl. 1.1, H201 | |
| 7440-21-3 | L | <5% |
| | ♠ Flam. Sol. 2, H228 | |

Additional information:

For the wording of the listed Hazard Statements refer to section 16.

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret.

| · Notable | Trace | Component | ts (| < 0.1% w/w) |
|-----------|-------|-----------|------|-------------|
|-----------|-------|-----------|------|-------------|

| 592-67-0 pead diffilodyanate | 592-87-0 | lead dithiocyanate |
|------------------------------|----------|--------------------|
|------------------------------|----------|--------------------|

& Repr. 1A, H360; STOT RE 2, H373

Acute Tox. 4, H302; Acute Tox. 4, H332

4 First-aid measures

Description of first aid measures

· General information:

Information is only applicable to product contents, and not to product as normally supplied. This information is applicable to damaged, leaking, or spilled product as contact with contents is possible under these conditions.

· After inhalation:

Remove victim to fresh air.

Seek immediate medical advice.

Provide oxygen treatment if affected person has difficulty breathing.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After skin contact:

Immediately remove any clothing soiled by the product.

Brush off loose particles from skin.

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

(Cont'd. on page 4)



Page: 4/14

Printing date: 06/23/2016 Revision: 06/23/2016

Trade name: CS Smoke Grenade

(Cont'd. of page 3)

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

Most important symptoms and effects, both acute and delayed:

Asthma attacks

Blast injury if mishandled.

Allergic reactions

May cause respiratory irritation.

Breathing difficulty

Coughing

Irritant to eyes.

Irritant to skin and mucous membranes.

· Danger:

Danger of blast or crush-type injuries.

Harmful in contact with skin.

Danger of impaired breathing.

Indication of any immediate medical attention and special treatment needed:

Product may produce physical injury if mishandled. Treatment of these injuries should be based on the blast and compression effects.

Contains [(2-chlorophenyl)methylene]malononitrile. May produce an allergic reaction.

Severe allergic skin reaction, bronchial spasms and anaphylactic shock are possible.

In cases of irritation to the lungs, initial treatment with cortical steroid inhalants.

Monitor circulation, possible shock treatment.

Treat skin and mucous membrane with antihistamine and corticoid preparations.

If necessary oxygen respiration treatment.

Medical supervision for at least 48 hours.

5 Fire-fighting measures

Extinguishing media

· Suitable extinguishing agents:

DO NOT fight fire when fire reaches explosives.

Flood area with water. If no water is available, carbon dioxide, dry chemical or earth may be used. If the fire reaches the cargo, withdraw and let fire burn.

- · For safety reasons unsuitable extinguishing agents: None.
- Special hazards arising from the substance or mixture

Fire or projection hazard.

During heating or in case of fire poisonous gases are produced.

Product may explode if burned in confined space. Individual cartridges may explode. Mass explosion of many cartridges at once is unlikely.

Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

(Cont'd. on page 5)



Page: 5/14

Printing date: 06/23/2016 Revision: 06/23/2016

Trade name: CS Smoke Grenade

(Cont'd. of page 4)

Additional information:

Eliminate all ignition sources if safe to do so.

Cool endangered receptacles with water spray.

Evacuate area and fight fire from from the upwind side.

Flammability Classification: (defined by 29 CFR 1910.1200) Explosive. Can explode under fire conditions. Individual devices will randomly explode. Will not mass explode if multiple devices are involved. Burning material may produce toxic and irritating vapors. In unusual cases, shrapnel may be thrown from exploding devices under containment. See 2008 Emergency response Guidebook for further information.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective equipment. Keep unprotected persons away.

Remove persons from danger area.

Ensure adequate ventilation.

Protect from heat.

Isolate area and prevent access.

Environmental precautions:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· Methods and material for containment and cleaning up:

Pick up mechanically.

Send for recovery or disposal in suitable receptacles.

Clean the affected area carefully; suitable cleaners are:

Warm water and cleansing agent

Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Handling

Precautions for safe handling:

Use only outdoors or in a well-ventilated area.

Handle with care. Avoid jolting, friction and impact.

Avoid breathing dust.

· Information about protection against explosions and fires:

Protect from heat.

Keep respiratory protective device available.

Emergency cooling must be available in case of nearby fire.

Conditions for safe storage, including any incompatibilities

- · Storage
- Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

(Cont'd. on page 6)





Printing date: 06/23/2016 Revision: 06/23/2016

Trade name: CS Smoke Grenade

(Cont'd. of page 5)

· Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from flammable substances.

- Further information about storage conditions: Store in dry conditions.
- · Specific end use(s): No relevant information available.

8 Exposure controls/personal protection

| · Control paran | · Control parameters | | |
|-----------------|--|--|--|
| · Components w | · Components with limit values that require monitoring at the workplace: | | |
| 2698-41-1 [(2-c | hlorophenyl)methylene]malononitrile | | |
| PEL (USA) | Long-term value: 0.4 mg/m³, 0.05 ppm | | |
| REL (USA) | Ceiling limit value: 0.4 mg/m³, 0.05 ppm Skin | | |
| TLV (USA) | Ceiling limit value: 0.39 mg/m³, 0.05 ppm Skin | | |
| EL (Canada) | Ceiling limit value: 0.05 ppm Skin | | |
| EV (Canada) | Ceiling limit value: 0.4 mg/m³, 0.05 ppm Skin | | |
| LMPE (Mexico) | Ceiling limit value: 0.05 ppm A4, PIEL | | |
| 546-93-0 Magno | esium carbonate | | |
| PEL (USA) | Long-term value: 15* 5** mg/m³ *total dust **respirable fraction | | |
| REL (USA) | Long-term value: 10* 5** mg/m³ *total dust **respirable fraction | | |
| TLV (USA) | TLV withdrawn | | |
| EL (Canada) | Long-term value: 10* 3** mg/m³ *total dust, **respirable fraction | | |
| EV (Canada) | Long-term value: 10 mg/m³ total dust | | |
| , , | Short-term value: 20 mg/m³ Long-term value: 10 mg/m³ (e) | | |
| 57-50-1 sucros | •• | | |
| PEL (USA) | Long-term value: 15* 5** mg/m³ *total dust **respirable fraction | | |
| REL (USA) | Long-term value: 10* 5** mg/m³ *total dust **respirable fraction | | |
| TLV (USA) | Long-term value: 10 mg/m³ | | |
| | (Cont'd. on page 7 | | |



Page: 7/14
Safety Data Sheet

Printing date: 06/23/2016 Revision: 06/23/2016

Trade name: CS Smoke Grenade

| | | (Cont'd. of page 6) |
|------------------|--|---------------------|
| EL (Canada) | Long-term value: 10* 3** mg/m³ *total dust;**respirable fraction | |
| EV (Canada) | Long-term value: 10 mg/m³ total dust | |
| LMPE (Mexico) | Long-term value: 10 mg/m³ A4 | |
| 7440-21-3 silico | on | |
| PEL (USA) | Long-term value: 15* 5** mg/m³ *total dust **respirable fraction | |
| REL (USA) | Long-term value: 10* 5** mg/m³ *total dust **respirable fraction | |
| TLV (USA) | TLV withdrawn | |
| EL (Canada) | Long-term value: 10* 3** mg/m³ *total dust;**respirable fraction | |
| EV (Canada) | Long-term value: 10 mg/m³ total dust | |
| LMPE (Mexico) | Short-term value: 20 mg/m³ Long-term value: 10 mg/m³ (e) | |

- Exposure controls
- · Engineering measures Provide adequate ventilation.
- · Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Immediately remove all soiled and contaminated clothing.

Do not inhale dust / smoke / mist.

Avoid contact with the eyes and skin.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

- · Engineering controls: Provide adequate ventilation.
- · Breathing equipment:



Respiratory protection required.

Wear positive pressure NIOSH or European EN149 vapor respirators when deploying product in large quantities.

Protection of hands:



Protective gloves

Wear gloves when handling deployed rounds.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Cont'd. on page 8)



Page: 8/14

Printing date: 06/23/2016 Revision: 06/23/2016

Trade name: CS Smoke Grenade

(Cont'd. of page 7)

· Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

- · Body protection: Protective work clothing
- · Limitation and supervision of exposure into the environment

No relevant information available.

· Risk management measures

Organizational measures should be in place for all activities involving this product.

| Information on basic physical a | and chamical proportics |
|----------------------------------|--|
| Appearance: | and chemical properties |
| Form: | Solid metal container containing solid contents. |
| i oilii. | Sealed metal cylinder |
| Color: | According to product specification |
| Odor: | Odorless |
| Odor threshold: | Not determined. |
| pH-value: | Not applicable. |
| Melting point/Melting range: | Not determined. |
| Boiling point/Boiling range: | Not determined. |
| Flash point: | Not applicable. |
| Flammability (solid, gaseous): | Fire or projection hazard. |
| Auto-ignition temperature: | Not determined. |
| Decomposition temperature: | Not determined. |
| Danger of explosion: | Heating may cause an explosion. |
| Explosion limits | |
| Lower: | Not determined. |
| Upper: | Not determined. |
| Vapor pressure: | Not applicable. |
| Density: | Not determined. |
| Relative density: | Not determined. |
| Vapor density: | Not applicable. |
| Evaporation rate: | Not applicable. |
| Solubility in / Miscibility with | |
| Water: | Insoluble. |

(Cont'd. on page 9)



Page: 9/14

Printing date: 06/23/2016 Revision: 06/23/2016

Trade name: CS Smoke Grenade

(Cont'd. of page 8)

· Viscosity

Dynamic: Not applicable. **Kinematic:** Not applicable.

• Other information No relevant information available.

10 Stability and reactivity

- · Reactivity: No relevant information available.
- Chemical stability:
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

Possibility of hazardous reactions:

Fire or projection hazard.

Toxic fumes may be released if heated above the decomposition point.

Contact with acids releases toxic gases.

Acts as an oxidizing agent on organic materials such as wood, paper and fats.

Reacts with strong alkali.

Conditions to avoid:

Excessive heat.

Sources of ignition, open flame, incompatible materials.

- · Incompatible materials: Oxidizers, strong bases, strong acids
- · Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Nitrogen oxides

Sulfur oxides (SOx)

Chlorine compounds

11 Toxicological information

- Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

2698-41-1 [(2-chlorophenyl)methylene]malononitrile

Oral LD50 178 mg/kg (rat)

3811-04-9 potassium chlorate

Oral LD50 1870 mg/kg (rat)

Primary irritant effect:

Effects based on exposure to dusts/mists/spray/vapours released during deployment. Unused product does not possess these effects.

- · On the skin: Irritant to skin and mucous membranes.
- · On the eye: Irritating effect.
- · Sensitization: May cause sensitisation by inhalation and skin contact.

(Cont'd. on page 10)



Page: 10/14

Printing date: 06/23/2016 Revision: 06/23/2016

Trade name: CS Smoke Grenade

(Cont'd. of page 9)

· Carcinogenic categories

| · IARC (Inter | · IARC (International Agency for Research on Cancer): | | |
|---------------|---|----|--|
| 10294-40-3 | barium chromate | 1 | |
| 7440-02-0 | nickel | 2B | |
| 592-87-0 | lead dithiocyanate | 2B | |
| NITE (NI 41 | NED (N. C. LE. L. L. D.) | | |

| · NTP (National Toxicology Program): | | |
|--------------------------------------|--------------------|---|
| 10294-40-3 | barium chromate | K |
| 7440-02-0 | nickel | R |
| 592-87-0 | lead dithiocyanate | R |

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Inhalation.

Skin contact.

Eye contact.

· Acute effects (acute toxicity, irritation and corrosivity):

Irritating to eyes, respiratory system and skin.

Toxic if swallowed or in contact with skin.

Fatal if inhaled.

- · Repeated dose toxicity: Repeated exposures may result in skin and/or respiratory sensitivity.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: May cause respiratory irritation.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

- · Toxicity
- Aquatic toxicity

The product contains materials that are harmful to the environment.

2698-41-1 [(2-chlorophenyl)methylene]malononitrile

EC50 0.2-0.3 mg/kg (Oncorhynchus mykiss)

- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: May be accumulated in organism
- Mobility in soil: No relevant information available.
- Ecotoxical effects:
- · Remark: Harmful to fish

(Cont'd. on page 11)



Page: 11/14

Printing date: 06/23/2016 Revision: 06/23/2016

Trade name: CS Smoke Grenade

(Cont'd. of page 10)

Additional ecological information

· General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage

The product contains heavy metals. Avoid transfer into the environment. Specific preliminary treatments are necessary.

Harmful to aquatic organisms

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

· Other adverse effects: No relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. After prior treatment product has to be disposed of in an incinerator for hazardous waste adhering to the regulations pertaining to the disposal of particularly hazardous waste.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

- Uncleaned packagings
- · **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

| ٠ | U | IN | I- | N | um | ber |
|---|---|----|----|---|----|-----|
| | | | | | | |

· DOT, ADR, IMDG, IATA UN0301

UN proper shipping name

DOT, ADR, IMDG, IATA AMMUNITION, TEAR-PRODUCING

- Transport hazard class(es)
- · DOT







· Class

1.4G · Label 1.4G, 6.1, 8

(Cont'd. on page 12)



Page: 12/14

Printing date: 06/23/2016 Revision: 06/23/2016

Trade name: CS Smoke Grenade

(Cont'd. of page 11) · ADR · Class 1.4G · Label 1.4G+6.1+8 · IMDG · Class 1.4G/6.1/8 · Label 1.4G/6.1/8 · IATA · Class 1.4G (6.1, 8) 1.4G (6.1, 8) · Label · Packing group · DOT Ш · Environmental hazards Product contains environmentally hazardous substances: [(2-chlorophenyl)methylene]malononitrile, potassium chlorate · Marine pollutant: Yes Special precautions for user Not applicable. **EMS Number:** F-B,S-Z Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: · IATA Cargo Aircraft Only.

(Cont'd. on page 13)



Page: 13/14

Printing date: 06/23/2016 Revision: 06/23/2016

Trade name: CS Smoke Grenade

(Cont'd. of page 12)

| 15 Regulato | ry information |
|---------------------------------|---|
| Safety, he mixture United State | ealth and environmental regulations/legislation specific for the substance or |
| · Section 30 | 2 (extremely hazardous substances): |
| None of the | ingredients are listed. |
| · Section 30 | 4 (emergency release notification): |
| None of the | ingredients are listed. |
| · Section 35 | 5 (extremely hazardous substances): |
| None of the | ingredients are listed. |
| · Section 31 | 3 (Specific toxic chemical listings): |
| 7757-79-1 | potassium nitrate |
| · TSCA (Tox | ic Substances Control Act) |
| All ingredier | nts are listed. |
| · Propositio | n 65 (California) |
| · Chemicals | known to cause cancer: |
| 10294-40-3 | barium chromate |
| 7440-02-0 | |
| 592-87-0 | lead dithiocyanate |
| · Chemicals | known to cause reproductive toxicity for females: |
| 10294-40-3 | barium chromate |
| · Chemicals | known to cause reproductive toxicity for males: |
| 10294-40-3 | barium chromate |
| | known to cause developmental toxicity: race quantities. |
| | barium chromate |
| • | nic categories |
| | onmental Protection Agency): |
| | barium chromate A(inh), D(oral), K/L(inh), CBD(oral) |
| - | national Agency for Research on Cancer): |
| | barium chromate 1 |
| 7440-02-0 | |
| | lead dithiocyanate 2B |
| | (National Institute for Occupational Safety and Health): |
| | barium chromate |
| 7440-02-0 | nickel |



Page: 14/14

Printing date: 06/23/2016 Revision: 06/23/2016

Trade name: CS Smoke Grenade

(Cont'd. of page 13)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision 06/23/2016 / -

Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Expl. 1.1: Explosives - Division 1.1 Expl. 1.4: Explosives - Division 1.4

Flam. Sol. 2: Flammable solids - Category 2

Ox. Sol. 1: Oxidizing solids - Category 1 Ox. Sol. 2: Oxidizing solids - Category 2

Acute Tox. 3: Acute toxicity - Category 3

Acute Tox. 4: Acute toxicity - Category 4

Acute Tox. 2: Acute toxicity - Category 2

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

Resp. Sens. 1: Respiratory sensitisation - Category 1

Skin Sens. 1: Skin sensitisation - Category 1

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by: ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com