

# Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: February 16, 2017

Revision: February 16, 2017

## 1 Identification

- **Product identifier**
- **Trade name: Irritant Powder Dispenser, CS Powder**
- **Product code:** TG-CS
- **Recommended use and restriction on use**
- **Recommended use:** Explosive product.
- **Restrictions on use:** Contact manufacturer/supplier
- **Details of the supplier of the Safety Data Sheet**
- **Manufacturer/Supplier:**  
 NonLethal Technologies, Inc.  
 9419 Rt 286 Hwy W  
 Homer City, PA 15748  
 USA  
 +1 724-479-5100  
 nlt@nonlethaltechnologies.com
- **Emergency telephone number:** 1-800-255-3924 (Intl.: +1 813-248-0585) (CHEMTEL # MIS9685256)

## 2 Hazard(s) identification

- **Classification of the substance or mixture**
- Expl. 1.4      H204 Fire or projection hazard.
- Acute Tox. 3   H301 Toxic if swallowed.
- Acute Tox. 3   H311 Toxic in contact with skin.
- Acute Tox. 2   H330 Fatal if inhaled.
- Skin Irrit. 2   H315 Causes skin irritation.
- Eye Irrit. 2A   H319 Causes serious eye irritation.
- Resp. Sens. 1   H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- Skin Sens. 1   H317 May cause an allergic skin reaction.
- STOT SE 3     H335 May cause respiratory irritation.

-----

- **Label elements**

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms:**



GHS01 GHS06 GHS07 GHS08

- **Signal word:** Danger

- **Hazard statements:**

- H204      Fire or projection hazard.
- H301+H311 Toxic if swallowed or in contact with skin.
- H330      Fatal if inhaled.
- H315      Causes skin irritation.
- H319      Causes serious eye irritation.
- H334      May cause allergy or asthma symptoms or breathing difficulties if inhaled.

(Cont'd. on page 2)

## Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: February 16, 2017

Revision: February 16, 2017

**Trade name: Irritant Powder Dispenser, CS Powder**

(Cont'd. of page 1)

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

**Precautionary statements:**

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P250 Do not subject to grinding/shock/friction.

P260 Do not breathe dust.

P284 In case of inadequate ventilation wear respiratory protection.

P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing must not be allowed out of the workplace.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P373 DO NOT fight fire when fire reaches explosives.

P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

P372 Explosion risk in case of fire.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P330 Rinse mouth.

P312 Call a POISON CENTER/doctor if you feel unwell.

P361+P364 Take off immediately all contaminated clothing and wash it before reuse.

P370+P380 In case of fire: Evacuate area.

P401 Store in accordance with local/regional/national/international regulations.

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Other hazards** There are no other hazards not otherwise classified that have been identified.

· **Explosive Product Notice**

PREVENTION OF ACCIDENTS IN THE USE OF EXPLOSIVES - The prevention of accidents in the use of explosives is a result of careful planning and observance of the best known practices. The explosives user must remember that he is dealing with a powerful force and that various devices and methods have been developed to assist him in directing this force. He should realize that this force, if misdirected, may either kill or injure both him and his fellow workers.

WARNING - All explosives are dangerous and must be carefully handled and used following approved safety procedures either by or under the direction of competent, experienced persons in accordance with all applicable federal, state, and local laws, regulations, or ordinances. If you have any questions or doubts as to how to use any explosive product, DO NOT USE IT before consulting with your supervisor, or the manufacturer, if you do not have a supervisor. If your supervisor has any questions or doubts, he should consult the manufacturer before use.

(Cont'd. on page 3)

## Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: February 16, 2017

Revision: February 16, 2017

**Trade name: Irritant Powder Dispenser, CS Powder**

(Cont'd. of page 2)

### 3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Components:**

2698-41-1	[(2-chlorophenyl)methylene]malononitrile <span style="font-size: small;">⚠ Acute Tox. 3, H301; Acute Tox. 2, H330  <span style="font-size: x-small;">⚠ Resp. Sens. 1, H334  <span style="font-size: x-small;">⚠ Acute Tox. 4, H312; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317; STOT SE 3, H335</span></span></span>	>80%
1309-48-4	magnesium oxide	<5%
546-93-0	Magnesium carbonate	<5%
55-63-0	glycerol trinitrate / nitroglycerin <span style="font-size: small;">⚠ Unst. Expl., H200  <span style="font-size: x-small;">⚠ Flam. Liq. 2, H225  <span style="font-size: x-small;">⚠ Acute Tox. 2, H300; Acute Tox. 1, H310; Acute Tox. 2, H330  <span style="font-size: x-small;">⚠ STOT RE 2, H373</span></span></span></span>	<1%
7757-79-1	potassium nitrate <span style="font-size: small;">⚠ Ox. Sol. 2, H272</span>	<1%

· **Additional information:**

For the wording of the listed Hazard Statements refer to section 16.

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret.

· **Notable Trace Components (< 0.1% w/w)**

592-87-0	lead dithiocyanate <span style="font-size: small;">⚠ Repr. 1A, H360; STOT RE 2, H373  <span style="font-size: x-small;">⚠ Acute Tox. 4, H302; Acute Tox. 4, H332</span></span>	
1314-41-6	orange lead <span style="font-size: small;">⚠ Repr. 1A, H360; STOT RE 2, H373  <span style="font-size: x-small;">⚠ Acute Tox. 4, H302; Acute Tox. 4, H332</span></span>	
122-39-4	diphenylamine <span style="font-size: small;">⚠ Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331  <span style="font-size: x-small;">⚠ STOT RE 2, H373</span></span>	

### 4 First-aid measures

· **Description of first aid measures**

· **After inhalation:**

Remove victim to fresh air.

Seek immediate medical advice.

Provide oxygen treatment if affected person has difficulty breathing.

In case of irregular breathing or respiratory arrest provide artificial respiration.

If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

· **After skin contact:**

Immediately remove any clothing soiled by the product.

Brush off loose particles from skin.

Immediately wash with water and soap and rinse thoroughly.

(Cont'd. on page 4)

## Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: February 16, 2017

Revision: February 16, 2017

### Trade name: Irritant Powder Dispenser, CS Powder

(Cont'd. of page 3)

If skin irritation continues, consult a doctor.

· **After eye contact:**

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· **After swallowing:**

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

· **Most important symptoms and effects, both acute and delayed:**

Asthma attacks

Blast injury if mishandled.

Allergic reactions

May cause respiratory irritation.

Breathing difficulty

Coughing

Causes eye irritation.

Irritant to skin and mucous membranes.

· **Danger:**

Danger of blast or crush-type injuries.

Danger of impaired breathing.

Toxic if swallowed or in contact with skin.

Fatal if inhaled.

· **Indication of any immediate medical attention and special treatment needed:**

Product may produce physical injury if mishandled. Treatment of these injuries should be based on the blast and compression effects.

Contains [(2-chlorophenyl)methylene]malononitrile. May produce an allergic reaction.

Severe allergic skin reaction, bronchial spasms and anaphylactic shock are possible.

In cases of irritation to the lungs, initial treatment with corticosteroid inhalants.

Monitor circulation, possible shock treatment.

Treat skin and mucous membrane with antihistamine and corticoid preparations.

If necessary oxygen respiration treatment.

Medical supervision for at least 48 hours.

### 5 Fire-fighting measures

· **Extinguishing media**

· **Suitable extinguishing agents:**

DO NOT fight fire when fire reaches explosives.

Flood area with water. If no water is available, carbon dioxide, dry chemical or earth may be used. If the fire reaches the cargo, withdraw and let fire burn.

· **For safety reasons unsuitable extinguishing agents:** None.

· **Special hazards arising from the substance or mixture**

Fire or projection hazard.

During heating or in case of fire poisonous gases are produced.

Product may explode if burned in confined space. Individual cartridges may explode. Mass explosion of many cartridges at once is unlikely.

· **Advice for firefighters**

· **Protective equipment:**

Wear self-contained respiratory protective device.

(Cont'd. on page 5)

## Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: February 16, 2017

Revision: February 16, 2017

**Trade name: Irritant Powder Dispenser, CS Powder**

(Cont'd. of page 4)

Wear fully protective suit.

**Additional information:**

Eliminate all ignition sources if safe to do so.

Cool endangered receptacles with water spray.

Evacuate area and fight fire from from the upwind side.

Flammability Classification: (defined by 29 CFR 1910.1200) Explosive. Can explode under fire conditions.

Individual devices will randomly explode. Will not mass explode if multiple devices are involved. Burning material may produce toxic and irritating vapors. In unusual cases, shrapnel may be thrown from exploding devices under containment. See 2008 Emergency response Guidebook for further information.

### 6 Accidental release measures

**Personal precautions, protective equipment and emergency procedures**

Use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective equipment. Keep unprotected persons away.

Remove persons from danger area.

Ensure adequate ventilation.

Protect from heat.

Isolate area and prevent access.

**Environmental precautions**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

**Methods and material for containment and cleaning up**

Pick up mechanically.

Send for recovery or disposal in suitable receptacles.

Clean the affected area carefully; suitable cleaners are:

Warm water and cleansing agent

**Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

**Handling****Precautions for safe handling:**

Use only outdoors or in a well-ventilated area.

Handle with care. Avoid jolting, friction and impact.

Avoid breathing dust.

**Information about protection against explosions and fires:**

Protect from heat.

Keep respiratory protective device available.

Emergency cooling must be available in case of nearby fire.

(Cont'd. on page 6)

## Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: February 16, 2017

Revision: February 16, 2017

**Trade name: Irritant Powder Dispenser, CS Powder**

(Cont'd. of page 5)

- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:**  
Avoid storage near extreme heat, ignition sources or open flame.
- **Information about storage in one common storage facility:**  
Store away from foodstuffs.  
Store away from flammable substances.
- **Further information about storage conditions:** Store in dry conditions.
- **Specific end use(s)** No relevant information available.

### 8 Exposure controls/personal protection

- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**  
The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.  
At this time, the remaining constituent has no known exposure limits.

#### 2698-41-1 [(2-chlorophenyl)methylene]malononitrile

PEL (USA)	Long-term value: 0,4 mg/m <sup>3</sup> , 0,05 ppm
REL (USA)	Ceiling limit value: 0,4 mg/m <sup>3</sup> , 0,05 ppm Skin
TLV (USA)	Ceiling limit value: 0,39 mg/m <sup>3</sup> , 0,05 ppm Skin
EL (Canada)	Ceiling limit value: 0,05 ppm Skin
EV (Canada)	Ceiling limit value: 0,4 mg/m <sup>3</sup> , 0,05 ppm Skin
LMPE (Mexico)	Ceiling limit value: 0,05 ppm A4, PIEL

#### 1309-48-4 magnesium oxide

PEL (USA)	Long-term value: 15* mg/m <sup>3</sup> fume; *total particulate
TLV (USA)	Long-term value: 10* mg/m <sup>3</sup> *as inhalable fraction
EL (Canada)	Short-term value: 10** mg/m <sup>3</sup> Long-term value: 10* 3** mg/m <sup>3</sup> *inhalable fume;**respirable dust and fume
EV (Canada)	Long-term value: 10 mg/m <sup>3</sup> inhalable
LMPE (Mexico)	Long-term value: 10* mg/m <sup>3</sup> A4, *fracción respirable

(Cont'd. on page 7)

## Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: February 16, 2017

Revision: February 16, 2017

**Trade name: Irritant Powder Dispenser, CS Powder**

(Cont'd. of page 6)

**546-93-0 Magnesium carbonate**

PEL (USA)	Long-term value: 15* 5** mg/m <sup>3</sup> *total dust **respirable fraction
REL (USA)	Long-term value: 10* 5** mg/m <sup>3</sup> *total dust **respirable fraction
TLV (USA)	TLV withdrawn
EL (Canada)	Long-term value: 10* 3** mg/m <sup>3</sup> *total dust, **respirable fraction
EV (Canada)	Long-term value: 10 mg/m <sup>3</sup> total dust
LMPE (Mexico)	Short-term value: 20 mg/m <sup>3</sup> Long-term value: 10 mg/m <sup>3</sup> (e)

**55-63-0 glycerol trinitrate / nitroglycerin**

PEL (USA)	Ceiling limit value: 2 mg/m <sup>3</sup> , 0,2 ppm Skin
REL (USA)	Short-term value: 0,1 mg/m <sup>3</sup> Skin
TLV (USA)	Long-term value: 0,46 mg/m <sup>3</sup> , 0,05 ppm Skin
EL (Canada)	Long-term value: 0,05 ppm Skin
EV (Canada)	Long-term value: 0,5 mg/m <sup>3</sup> , 0,05 ppm Skin
LMPE (Mexico)	Long-term value: 0,05 ppm PIEL

· **Exposure controls**

· **Engineering measures** Provide adequate ventilation.

· **Personal protective equipment:**

· **General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.

Immediately remove all soiled and contaminated clothing.

Do not inhale dust / smoke / mist.

Avoid contact with the eyes and skin.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

· **Engineering controls:** Provide adequate ventilation.

· **Breathing equipment:**



Respiratory protection required.

(Cont'd. on page 8)

## Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: February 16, 2017

Revision: February 16, 2017

**Trade name: Irritant Powder Dispenser, CS Powder**

(Cont'd. of page 7)

· **Protection of hands:**



Protective gloves

Wear gloves when handling deployed rounds.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· **Eye protection:**



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

· **Body protection:** Protective work clothing

· **Limitation and supervision of exposure into the environment**

No relevant information available.

· **Risk management measures**

Organizational measures should be in place for all activities involving this product.

### 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **Appearance:**

<b>Form:</b>	Sealed Plastic Cylinder
<b>Color:</b>	According to product specification

· **Odor:** Odorless

· **Odor threshold:** Not determined.

· **pH-value:** Not applicable.

· **Melting point/Melting range:** Not determined.

· **Boiling point/Boiling range:** Not determined.

· **Flash point:** Not applicable.

· **Flammability (solid, gaseous):** Fire or projection hazard.

· **Auto-ignition temperature:** Not determined.

· **Decomposition temperature:** Not determined.

· **Danger of explosion:** Heating may cause an explosion.

· **Explosion limits**

<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.

· **Vapor pressure:** Not applicable.

· **Density:**

<b>Relative density:</b>	Not determined.
<b>Vapor density:</b>	Not applicable.

(Cont'd. on page 9)

## Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: February 16, 2017

Revision: February 16, 2017

**Trade name: Irritant Powder Dispenser, CS Powder**

(Cont'd. of page 8)

<b>Evaporation rate:</b>	Not applicable.
· <b>Solubility in / Miscibility with Water:</b>	Insoluble.
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity</b>	
<b>Dynamic:</b>	Not applicable.
<b>Kinematic:</b>	Not applicable.
· <b>Other information</b>	No relevant information available.

### 10 Stability and reactivity

- **Reactivity:** No relevant information available.
- **Chemical stability:**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions**  
Fire or projection hazard.  
Toxic fumes may be released if heated above the decomposition point.  
Contact with acids releases toxic gases.  
Acts as an oxidizing agent on organic materials such as wood, paper and fats.  
Reacts with strong alkali.
- **Conditions to avoid**  
Excessive heat.  
Sources of ignition, open flame, incompatible materials.
- **Incompatible materials** Oxidizers, strong bases, strong acids
- **Hazardous decomposition products**  
Carbon monoxide and carbon dioxide  
Nitrogen oxides  
Sulfur oxides (SO<sub>x</sub>)  
Chlorine compounds

### 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

**2698-41-1 [(2-chlorophenyl)methylene]malononitrile**

Oral	LD50	178 mg/kg (rat)
------	------	-----------------

**55-63-0 glycerol trinitrate / nitroglycerin**

Oral	LD50	115 mg/kg (mouse)
------	------	-------------------

		105 mg/kg (rat)
--	--	-----------------

Dermal	LD50	29 mg/kg (rat)
--------	------	----------------

(Cont'd. on page 10)

## Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: February 16, 2017

Revision: February 16, 2017

**Trade name: Irritant Powder Dispenser, CS Powder**

(Cont'd. of page 9)

	280 mg/kg (rabbit)	
--	--------------------	--

- **Primary irritant effect:**  
Effects based on exposure to dusts/mists/spray/vapours released during deployment. Unused product does not possess these effects.
- **On the skin:** Irritant to skin and mucous membranes.
- **On the eye:** Irritating effect.
- **Sensitization:** May cause sensitisation by inhalation and skin contact.

- **Carcinogenic categories**
- **IARC (International Agency for Research on Cancer):**  
Present in trace quantities.

1314-41-6	orange lead	2A
-----------	-------------	----

- **NTP (National Toxicology Program):**

10294-40-3	barium chromate	K
------------	-----------------	---

1314-41-6	orange lead	R
-----------	-------------	---

- **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

- **Probable route(s) of exposure:**  
Inhalation.  
Skin contact.  
Eye contact.
- **Acute effects (acute toxicity, irritation and corrosivity):**  
Irritating to eyes, respiratory system and skin.  
Toxic if swallowed or in contact with skin.  
Fatal if inhaled.
- **Repeated dose toxicity:** Repeated exposures may result in skin and/or respiratory sensitivity.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity:** Based on available data, the classification criteria are not met.
- **Carcinogenicity:** Based on available data, the classification criteria are not met.
- **Reproductive toxicity:** Based on available data, the classification criteria are not met.
- **STOT-single exposure:** May cause respiratory irritation.
- **STOT-repeated exposure:** Based on available data, the classification criteria are not met.
- **Aspiration hazard:** Based on available data, the classification criteria are not met.

### 12 Ecological information

- **Toxicity**
- **Aquatic toxicity**  
The product contains materials that are harmful to the environment.

**2698-41-1 [(2-chlorophenyl)methylene]malononitrile**

EC50 | 0,2-0,3 mg/kg (Oncorhynchus mykiss)

- **Persistence and degradability** No relevant information available.
- **Bioaccumulative potential:** May be accumulated in organism
- **Mobility in soil:** No relevant information available.

(Cont'd. on page 11)

## Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: February 16, 2017

Revision: February 16, 2017

**Trade name:** Irritant Powder Dispenser, CS Powder

(Cont'd. of page 10)

- **Ecotoxicological effects:**
- **Remark:** Harmful to fish
- **Additional ecological information**
- **General notes:**  
 Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.  
 The product contains heavy metals. Avoid transfer into the environment. Specific preliminary treatments are necessary.  
 Harmful to aquatic organisms  
 Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.
- **Other adverse effects** No relevant information available.

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
 Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Incinerate in accordance with local, state and federal regulations.  
 The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.
- **Uncleaned packagings**
- **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport information

- **UN-Number**
- **DOT, ADR, IMDG, IATA** UN0301
- **UN proper shipping name**
- **DOT, ADR, IMDG, IATA** AMMUNITION, TEAR-PRODUCING
- **Transport hazard class(es)**
- **DOT**
- 


- **Class** 1.4G
- **Label** 1.4G, 6.1, 8

(Cont'd. on page 12)

## Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: February 16, 2017

Revision: February 16, 2017

**Trade name: Irritant Powder Dispenser, CS Powder**

(Cont'd. of page 11)

· **ADR**



· **Class** 1.4G  
 · **Label** 1.4G+6.1+8

· **IMDG**



· **Class** 1.4G/6.1/8  
 · **Label** 1.4G/6.1/8

· **IATA**



· **Class** 1.4G (6.1, 8)  
 · **Label** 1.4G (6.1, 8)

· **Packing group**

· **DOT** II

· **Environmental hazards**

Product contains environmentally hazardous substances: [(2-chlorophenyl)methylene]malononitrile, potassium chlorate

· **Marine pollutant:**

Yes

· **Special precautions for user**

Not applicable.

· **EMS Number:**

F-B,S-Z

· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not applicable.

· **Transport/Additional information:**

· **IATA**



Cargo Aircraft Only.

(Cont'd. on page 13)

## Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: February 16, 2017

Revision: February 16, 2017

**Trade name:** Irritant Powder Dispenser, CS Powder

(Cont'd. of page 12)

### 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **United States (USA)**
- **SARA**

· **Section 302 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 304 (emergency release notification):**

None of the ingredients are listed.

· **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 313 (Specific toxic chemical listings):**

7757-79-1	potassium nitrate
-----------	-------------------

· **TSCA (Toxic Substances Control Act)**

All ingredients are listed.

· **Proposition 65 (California)**

· **Chemicals known to cause cancer:**

Present in trace quantities.

592-87-0	lead dithiocyanate
----------	--------------------

1314-41-6	orange lead
-----------	-------------

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency):**

None of the ingredients are listed.

· **IARC (International Agency for Research on Cancer):**

Present in trace quantities.

1314-41-6	orange lead	2A
-----------	-------------	----

· **NIOSH-Ca (National Institute for Occupational Safety and Health):**

None of the ingredients are listed.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Date of preparation / last revision** February 16, 2017 / -

(Cont'd. on page 14)

## Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: February 16, 2017

Revision: February 16, 2017

**Trade name: Irritant Powder Dispenser, CS Powder**

(Cont'd. of page 13)

· **Abbreviations and acronyms:**

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road  
IMDG: International Maritime Code for Dangerous Goods  
DOT: US Department of Transportation  
IATA: International Air Transport Association  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
NIOSH: National Institute for Occupational Safety  
OSHA: Occupational Safety & Health  
TLV: Threshold Limit Value  
PEL: Permissible Exposure Limit  
REL: Recommended Exposure Limit  
Expl. 1.4: Explosives – Division 1.4  
Unst. Expl.: Explosives – Unstable explosive  
Flam. Liq. 2: Flammable liquids – Category 2  
Ox. Sol. 2: Oxidizing solids – Category 2  
Acute Tox. 3: Acute toxicity – Category 3  
Acute Tox. 1: Acute toxicity – Category 1  
Acute Tox. 4: Acute toxicity – Category 4  
Acute Tox. 2: Acute toxicity – Category 2  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A  
Resp. Sens. 1: Respiratory sensitisation – Category 1  
Skin Sens. 1: Skin sensitisation – Category 1  
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3  
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

· **Sources**

Website, European Chemicals Agency ([echa.europa.eu](http://echa.europa.eu))  
Website, US EPA Substance Registry Services ([ofmpub.epa.gov/sorinternet/registry/substreg/home/overview/home.do](http://ofmpub.epa.gov/sorinternet/registry/substreg/home/overview/home.do))  
Website, Chemical Abstracts Registry, American Chemical Society ([www.cas.org](http://www.cas.org))  
Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6  
Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaassen, Curtis D., ed., ISBN: 978-0-07-176923-5.  
Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: [www.chemtelinc.com](http://www.chemtelinc.com)